

ECO FINISH DK-88

Eco Finish DK-88 is an emulsion lacquer based on Nitrocellulose.

Typical properties

Appearance	:	White emulsion
Dry contents (%)	:	17 ± 2
Specific gravity	:	0.94 ± 0.05
Film properties	:	Glossy
Viscosity	:	22 sec. (measured by Ford Cup FC/4 - at 28°C)
Compatibility	:	It is dyed with our Ecoset range of dyes. It can be blended with Eco Finish-CHN, Eco Finish-F, Eco Finish DK-16, Eco Finish DK-25, Eco Finish MLE-18 to get intermediate gloss and to modify touch it mixed with our Eco Feel SB-600. It can be crosslinked with a crosslinker.
Diluent	:	Water, ethyl glycol etc.
Sensitivity to frost	:	Keep away from freezing
Electrolyte stability	:	Excellent
Flash point	:	More than 70°C
Storage stability	:	180 days

Salient features

- **Eco Finish DK-88** gives high glossy effect.
- It has outstanding fastness properties.

Application

Dilute 1:1/2 or 1:1 with water to get optimum result.

(without warranty)

For more details please contact:

Dhupar Chemicals Pvt. Ltd.

7/82, Tilak Nagar, Kanpur-208002 (India)

Tel: +91-512-2526558,2542795,2557874

E-mail: dhupar@dhuparchemicals.co.in

Web Site: www.dhuparchemicals.co.in